

Technický list výrobku

P CLAS A 19 W/827 E27

PARATHOM CLASSIC A | LED světelné zdroje, tvar klasické baňky



- Domestic applications General illumination Outdoor use in outdoor luminaires only (minimum IP65)

- Low energy consumption Easy replacement of classic lamps thanks to compact design Instant 100 % light, no warm-up time



Technický list výrobku

Technické údaje

Parametry

| | |
|--|-------------|
| ZLDV_Rated wattage [AGGR] | 19.00 W |
| ZLDV_Nominal wattage [AGGR] | 19.00 W |
| ZLDV_Nominal voltage [AGGR] | 220...240 V |
| ZLDV_Operating frequency [AGGR] | 50...60 Hz |
| ZLDV_Max. lamp no. on circuit break. 10 A (B) [AGGR] | 29 |
| ZLDV_Max. lamp no. on circuit break. 16 A (B) [AGGR] | 48 |
| ZLDV_Nominal current [AGGR] | 0.16 A |
| ZLDV_Claimed equiv. conventional lamp power [AGGR] | 150 W |


Fotometrické údaje

| | |
|---|------------|
| ZLDV_Nominal luminous flux [AGGR] | 2451 lm |
| ZLDV_Rated luminous flux [AGGR] | 2451 lm |
| ZLDV_Rated color temperature [AGGR] | 2700 K |
| ZLDV_Color rendering index Ra [AGGR] | ≥80 |
| ZLDV_Light color (designation) [AGGR] | Warm White |
| ZLDV_Standard deviation of color matching [AGGR] | ≤6 sdcn |
| ZLDV_Color temperature [AGGR] | 2700 K |
| ZLDV_Luminous flux [AGGR] | 2451 lm |
| ZLDV_Lumen main.fact.at end of nom.life time [AGGR] | 0.70 |

Světelně-technické údaje

| | |
|---------------------------|---------|
| ZLDV_Beam angle [AGGR] | 200 ° |
| ZLDV_Starting time [AGGR] | < 0.5 s |

Rozměry & váha



| | |
|----------------------------|----------|
| ZLDV_Overall length [AGGR] | 128.0 mm |
|----------------------------|----------|

Technický list výrobku

| | |
|----------------------------|----------|
| ZLDV_Diameter [AGGR] | 68.0 mm |
| ZLDV_Outer bulb [AGGR] | A68 |
| ZLDV_Product weight [AGGR] | 162.00 g |
| ZLDV_Length [AGGR] | 128.0 mm |

Teploty a provozní podmínky

| | |
|---------------------------------------|--------------|
| ZLDV_Ambient temperature range [AGGR] | -20...+40 °C |
|---------------------------------------|--------------|

Životnost

| | |
|--|---------|
| ZLDV_Nominal lamp life time [AGGR] | 15000 h |
| ZLDV_Rated lamp life time LEDr [AGGR] | 15000 h |
| ZLDV_Number of switching cycles [AGGR] | 100000 |
| ZLDV_Lumen maintenance at end of service life [AGGR] | 0.70 |

Další údaje o produktu

| | |
|---|--|
| ZLDV_Base (standard designation) [AGGR] | E27 |
| ZLDV_Mercury content [AGGR] | 0.0 mg |
| ZLDV_Mercury-free [AGGR] | Yes |
| ZLDV_Design / version [AGGR] | frosted |
| Likvidace dle směrnice o elektro-odpadu | Ano |
| ZLDV_Product remark [AGGR] | All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value |

Vlastnosti

| | |
|----------------------|----|
| ZLDV_Dimmable [AGGR] | No |
|----------------------|----|

Certifikáty & standardy

| | |
|-------------------------------------|--------------|
| ZLDV_Energy efficiency class [AGGR] | A++ |
| ZLDV_Energy consumption [AGGR] | 19 kWh/1000h |
| ZLDV_Type of protection [AGGR] | IP20 |

Kategorizace specifická pro danou zemi

| | |
|-----------------------------|----------------|
| ZLDV_Order reference [AGGR] | LEDPCA150 19W/ |
|-----------------------------|----------------|

Logistické údaje

Technický list výrobku

| Kód výrobku | Popis výrobku | Jednotka balení (kusy/jednotku) | Rozměry (délka x šířka x výška) | Objem | Hrubá hmotnost |
|---------------|-----------------------|---|---------------------------------|----------------------|----------------|
| 4058075292536 | P CLAS A 19 W/827 E27 | Shipping carton box 10 Pieces Folding carton box | 366 mm x 151 mm x 150 mm | 8.29 dm ³ | 1910.00 g |

Zmíněný produktový kód udává nejmenší jednotku množství, kterou lze objednat. Jednotka balení může obsahovat jeden nebo více samostatných produktů. Při objednávání zadávejte jednotky balení nebo násobky jednotek balení.

Reference / odkazy

Další produkty a aktuální informace o LED světelných zdrojích najdete na

▶ www.osram.com/ledlamps

Záruka viz

▶ www.osram.com/guarantee

Vyloučení odpovědnosti

Změny bez předchozího upozornění vyhrazeny. Chyby a opomenutí vyhrazeny. Vždy se ujistěte, že používáte nejnovější vydání.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany