

Technický list řady výrobků PARATHOM MR11 12 V

Nízkonapěťové reflektorové světelné zdroje LED MR11 s konvenční kolíkovou patičí



- Shops and exhibition rooms Domestic applications
Commercial applications Accent lighting Outdoor use in
outdoor luminaires only (minimum IP65)

- Quick, simple and safe replacement without rewiring Design, dimensions, luminous flux comparable to an incandescent or
halogen lamp Low maintenance costs thanks to long lifetime No UV and near-IR radiation in the light beam Compatible
with many common conventional and electronic control gears (see also "compatibility list") Instant 100 % light, no warm-up
time



Technický list řady výrobků


Technické údaje

	Parametry			Fotometrické údaje		Světelně-technické údaje	Rozměry & váha
Popis výrobku	ZLDV_Claimed equiv. conventional lamp power [AGGR]	ZLDV_Operating frequency [AGGR]	ZLDV_Nominal current [AGGR]	ZLDV_Luminous intensity [AGGR]	ZLDV_Light color (designation) [AGGR]	ZLDV_Beam angle [AGGR]	ZLDV_Overall length [AGGR]
P MR11 12 V 250 W/840 GU4	20 W	50...60 Hz	310 mA	400 cd	Cool White	36 °	38.00 mm

		Teploty a provozní podmínky	Životnost	Další údaje o produktu		Certifikáty & standardy	
Popis výrobku	ZLDV_Product weight [AGGR]	ZLDV_Ambient temperature range [AGGR]	ZLDV_Lumen maintenance at end of service life [AGGR]	ZLDV_Mercury-free [AGGR]	ZLDV_Product remark [AGGR]	ZLDV_Energy consumption [AGGR]	ZLDV_Energy efficiency class [AGGR]
P MR11 12 V 250 W/840 GU4	17.00 g	-20...+40 °C	0.7	Yes	All technical parameters apply to the entire lamp Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value	3.00 kWh/1000h	G

Technický list řady výrobků

Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Popis výrobku	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
P MR11 12 V 250 W/840 GU4	18-04-2022	4058075105157 4058075636569	In work



P MR11 12 V 250 W/840 GU4

Pokyny k použití

Podrobnější informace k použití a grafiku najdete v technickém listu.

Technický list řady výrobků

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistické údaje

Kód výrobku	Popis výrobku	Jednotka balení (kusy/jednotku)	Rozměry (délka x šířka x výška)	Objem	Hrubá hmotnost
4058075105157	P MR11 12 V 250 W/840 GU4	Shipping carton box 10	188 mm x 78 mm x 55 mm	0.81 dm ³	248.00 g
4058075636569	P MR11 12 V 250 W/840 GU4	Shipping carton box 10	188 mm x 78 mm x 69 mm	1.01 dm ³	253.00 g

Zmíněný produktový kód udává nejmenší jednotku množství, kterou lze objednat. Jednotka balení může obsahovat jeden nebo více samostatných produktů. Při objednávání zadávejte jednotky balení nebo násobky jednotek balení.

Reference / odkazy

Další produkty a aktuální informace o LED světelných zdrojích najdete na

▶ www.osram.com/ledlamps

Záruka viz <https://>

▶ www.inventronics-light.com/multilevel-guarantees

Další informace viz

▶ www.osram.com/low-voltage-ledlamps

Vyloučení odpovědnosti

Změny bez předchozího upozornění vyhrazeny. Chyby a opomenutí vyhrazeny. Vždy se ujistěte, že používáte nejnovější vydání.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany