

# Technický list výrobku

## P R F CLAS A 60 6.5 W/840 E27

PARATHOM Retrofit CLASSIC A | LED světelné zdroje, tvar klasické baňky



- Perfect for decorative installations Domestic applications General illumination Outdoor use in outdoor luminaires only (minimum IP65)

- Lamps with innovative LED "filament" technology Design, dimensions, luminous flux comparable to an incandescent or halogen lamp Very low energy consumption No UV and near-IR radiation in the light beam Instant 100 % light, no warm-up time Can be easily fitted instead of ordinary light bulbs



## Technický list výrobku

### Technické údaje

#### Parametry

|  |             |
|--|-------------|
| ZLDV_Rated wattage [AGGR]                          | 6.50 W      |
| ZLDV_Nominal wattage [AGGR]                        | 6.50 W      |
| ZLDV_Nominal voltage [AGGR]                        | 220...240 V |
| ZLDV_Operating frequency [AGGR]                    | 50...60 Hz  |
| ZLDV_Claimed equiv. conventional lamp power [AGGR] | 60 W        |


#### Fotometrické údaje

|   |            |
|---|------------|
| ZLDV_Nominal luminous flux [AGGR]                   | 806 lm     |
| ZLDV_Rated luminous flux [AGGR]                     | 806 lm     |
| ZLDV_Rated color temperature [AGGR]                 | 4000 K     |
| ZLDV_Color rendering index Ra [AGGR]                | ≥80        |
| ZLDV_Light color (designation) [AGGR]               | Cool White |
| ZLDV_Standard deviation of color matching [AGGR]    | ≤6 sdcn    |
| ZLDV_Lumen main.fact.at end of nom.life time [AGGR] | 0.70       |

#### Světelně-technické údaje

|                           |         |
|---------------------------|---------|
| ZLDV_Starting time [AGGR] | < 0.5 s |
|---------------------------|---------|

#### Rozměry & váha



|                            |          |
|----------------------------|----------|
| ZLDV_Overall length [AGGR] | 105.0 mm |
| ZLDV_Diameter [AGGR]       | 60.0 mm  |
| ZLDV_Outer bulb [AGGR]     | A60      |
| ZLDV_Length [AGGR]         | 105.0 mm |

#### Životnost

|                                    |         |
|------------------------------------|---------|
| ZLDV_Nominal lamp life time [AGGR] | 15000 h |
|------------------------------------|---------|

## Technický list výrobku

|  |         |
|--|---------|
| ZLDV_Rated lamp life time LEDr [AGGR]                | 15000 h |
| ZLDV_Number of switching cycles [AGGR]               | 100000  |
| ZLDV_Lumen maintenance at end of service life [AGGR] | 0.70    |

### Další údaje o produktu

|   |  |
|---|--|
| ZLDV_Base (standard designation) [AGGR] | E27  |
| ZLDV_Mercury content [AGGR]             | 0.0 mg   |
| ZLDV_Mercury-free [AGGR]                | Yes  |
| ZLDV_Design / version [AGGR]            | clear  |
| Likvidace dle směrnice o elektro-odpadu | Ano  |
| ZLDV_Product remark [AGGR]              | All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value |

### Vlastnosti

|                      |    |
|----------------------|----|
| ZLDV_Dimmable [AGGR] | No |
|----------------------|----|

### Certifikáty & standardy

|                                     |             |
|-------------------------------------|-------------|
| ZLDV_Energy efficiency class [AGGR] | A++         |
| ZLDV_Energy consumption [AGGR]      | 7 kWh/1000h |

### Kategorizace specifická pro danou zemi

|                             |                             |
|-----------------------------|-----------------------------|
| ZLDV_ILCOS [AGGR]           | DRAA/C-7-840-220-240-E27-60 |
| ZLDV_Order reference [AGGR] | LEDPCA60 6,5W/              |

### Logistické údaje

| Kód výrobku   | Popis výrobku                | Jednotka balení (kusy/jednotku)                     | Rozměry (délka x šířka x výška) | Objem                | Hrubá hmotnost |
|---------------|------------------------------|---|---------------------------------|----------------------|----------------|
| 4058075817173 | P RF CLAS A 60 6.5 W/840 E27 | Shipping carton box<br>10 Pieces Folding carton box | 315 mm x 131 mm x 126 mm        | 5.20 dm <sup>3</sup> | 523.00 g       |

Zmíněný produktový kód udává nejmenší jednotku množství, kterou lze objednat. Jednotka balení může obsahovat jeden nebo více samostatných produktů. Při objednávání zadávejte jednotku balení nebo násobky jednotek balení.

### Vyloučení odpovědnosti

Změny bez předchozího upozornění vyhrazeny. Chyby a opomenutí vyhrazeny. Vždy se ujistěte, že používáte nejnovější vydání.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany