

## LINEARlight FLEX Tunable White

LED moduly pro profesionální a průmyslové aplikace



### Vlastnosti produktu

- 24 V LED strips flexible and cuttable
- Up to 60,000 h L90/B10 with SDT technology, tested acc. to IEC 62717 on real LED strips
- Adjustable color temp. via Tunable White: 2200...3500 K, 2500...4000 K, 2700...5700 K CRI90
- Adjustable color temp. via Tunable White: 2200...3500 K, 2500...3500 K, 2700...6500 K CRI80
- CRI80, CRI90 options available
- Stable light flux over length: active constant current regulators (ICs), PWM safe
- Embedded automatic quick protection against accidental miswiring up to 25 V
- Fully PWM dimmable from zero up to 2.5 kHz, audible noise free, suitable for quite places
- Designed, engineered and manufactured and tested in Italy (ISO9001, ISO 17025, ACCREDIA, VDE)

### Výhody produktu

- Color uniformity better than 3 SDCM on the entire LED strip and between strips
- LED lifetime acc.to IES LM-80 and IES TM-21 standards, and also internal OSRAM LAB tests
- Excellent robustness: single reel manufacturing technology (no solder joints on strip)
- Snadná montáž na mnoho hladkých povrchů pomocí samolepicí pásky na zadní straně
- Neobvyklý design a vysoce kvalitní materiály
- Pre-soldered wires

### Druh použití

- Nepřímé osvětlení
- Osvětlení pro prodejny
- Kanceláře



## Technický list řady výrobků

### Technické údaje

Popis výrobku	Parametry	Fotometrické údaje				Rozměry & váha
	Jmenovitý příkon na metr	Index podání barev Ra	Světelný tok na metr	Světelná účinnost	Standardní odchylka sladění barev	Dálka vodiče
LF3400TW-G5 -927.965-03 L1	30.9 W	90	3400 lm	110 lm/W	≤3 sdc	500,0
LF3400TW-G5 -927.957-03 L1	30.2 W	90	3400 lm	113 lm/W	≤3 sdc	500,0
LF3400TW-G5 -925.940-03 L1	32.4 W	90	3400 lm	105 lm/W	≤3 sdc	500,0
LF3400TW-G5 -922.935-03 L1	34.7 W	90	3400 lm	98 lm/W	≤3 sdc	500,0
LF1100TW-G5 -927.965-09 L2	9,8 W	90	1156 lm	118 lm/W	≤3 sdc	500,0
LF1100TW-G5 -927.957-09 L2	9,8 W	90	1156 lm	118 lm/W	≤3 sdc	500,0
LF1100TW-G5 -925.940-09 L2	10,4 W	90	1156 lm	111 lm/W	≤3 sdc	500,0
LF1100TW-G5 -922.935-09 L2	10,9 W	90	1111 lm	102 lm/W	≤3 sdc	500,0

Popis výrobku	Certifikáty & standardy	Logistická data	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Energy efficiency class of the contained light source	Zkratka produktu	Date of Declaration	Primary Article Identifier
LF3400TW-G5 -927.965-03 L1	F	853951000000	18-04-2022	4062172263719
LF3400TW-G5 -927.957-03 L1	F	853951000000	18-04-2022	4062172189354
LF3400TW-G5 -925.940-03 L1	F	853951000000	18-04-2022	4062172189330
LF3400TW-G5 -922.935-03 L1	F	853951000000	18-04-2022	4062172189316
LF1100TW-G5 -927.965-09 L2	F	853951000000	18-04-2022	4062172263696
LF1100TW-G5 -927.957-09 L2	F	853951000000	18-04-2022	4062172189293
LF1100TW-G5 -925.940-09 L2	F	853951000000	18-04-2022	4062172189279
LF1100TW-G5 -922.935-09 L2	F	853951000000	18-04-2022	4062172189255


Popis výrobku	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LF3400TW-G5 -927.965-03 L1	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3c24c669-832d-42ad-8c40-040c557a26f9
LF3400TW-G5 -927.957-03 L1	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	d91c5234-9151-4480-a7b0-96ed12e9081c

## Technický list řady výrobků


Popis výrobku	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LF3400TW-G5 -925.940-03 L1	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	899bc4af-cf58-4e90-815e-641edf5d0b05
LF3400TW-G5 -922.935-03 L1	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	311d437a-2b2f-45c1-a1d6-9e1d8408121a
LF1100TW-G5 -927.965-09 L2	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	6a5d0ffd-b835-4124-b0ef-a58cdf29fad8
LF1100TW-G5 -927.957-09 L2	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	0f0e51c7-eb4d-4565-9673-53e7e4bb0930
LF1100TW-G5 -925.940-09 L2	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	10403adf-72ad-47b8-a9f2-6c08618598d7
LF1100TW-G5 -922.935-09 L2	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1880c7a3-80a3-4dc0-8521-aa2dea649cdd

Popis výrobku	Další údaje o produktu
	Doporučená náhrada EAN
LF3400TW-G5 -927.965-03 L1	
LF3400TW-G5 -927.957-03 L1	4062172032605, 4062172032629
LF3400TW-G5 -925.940-03 L1	
LF3400TW-G5 -922.935-03 L1	4052899563339
LF1100TW-G5 -927.965-09 L2	
LF1100TW-G5 -927.957-09 L2	4062172032667, 4062172032643
LF1100TW-G5 -925.940-09 L2	
LF1100TW-G5 -922.935-09 L2	

## Technický list řady výrobků



LINEARlight Flex Tunable White IP00 L1 drawing



LINEARlight Flex Tunable White IP00 L2

### Výbava / příslušenství

- Zjednodušené zapojení pomocí systému CONNECTsystem jako příslušenství
- Perfectly matched with OTi DALI 50/80 4CH DT6/8 and OTi DALI 160 2CH DT6/8
- Perfectly matched with OTi BLE 80/220-240/24 4CH

### Pokyny k použití

Podrobnější informace k použití a grafiku najdete v technickém listu.



### Text pro technický list

- not relevant
- not relevant
- not relevant
- Avoid installations in rural and urban areas with high industrial activity and heavy traffic (higher than class than 4C1 according IEC 60721-3) and as well as installation in spa, areas with chlorine atmosphere, direct exposure to blown sand.











### Technická podpora a podpora prodeje

Technická podpora a podpora prodeje [www.osram.cz](http://www.osram.cz)

### Stažení dat

Soubor	
	User instruction LINEARlight FLEX, Tunable White
	Product Datasheet LINEARlight Flex Tunable White CRI90 Specification Sheet (EN)

## Technický list řady výrobků

	Brochures Light is freedom of design (EN)
	Certificates LF(P)-Uniformity ENEC 181120
	Certificates LF(P) TW G5 CB 180121
	Declarations of conformity LFTWG5 CE 4249165 241120
	Eulumdat LF3400TW-G5-927.957-03 L1 LTD 130421
	IES data LF3400TW-G5-927.957-03 L1 IES 130421
	Eulumdat LF3400TW-G5-925.940-03 L1 LTD 130421
	IES data LF3400TW-G5-925.940-03 L1 IES 130421
	Eulumdat LF3400TW-G5-922.935-03 L1 LTD 130421
	IES data LF3400TW-G5-922.935-03 L1 IES 130421
	Eulumdat LF1100TW-G5-927.957-09 L2 LTD 130421
	IES data LF1100TW-G5-927.957-09 L2 IES 130421
	Eulumdat LF1100TW-G5-925.940-09 L2 LTD 130421
	IES data LF1100TW-G5-925.940-09 L2 IES 130421
	Eulumdat LF1100TW-G5-922.935-09 L2 LTD 130421
	IES data LF1100TW-G5-922.935-09 L2 IES 130421

## Technický list řady výrobků

### Ecodesign regulation information:

- This product is considered to be a "containing product" in the sense of Regulations (EU) 2019/2020 and (EU) 2019/2015.
- Tolerances of the reported values, are according to LED Modules Performance standard IEC/EN 62717.
- In general, the replacement of the contained light sources without permanent damage to the product with the use of common available tools is possible in the final application when they can be dismantled from the installation environment and substituted for the necessary number of light sources restoring its full electrical/mechanical/thermal/optical functionality by means of a professional installer. In the contrary, and limited to the LINEARlight Flex Diffuse, LINEARlight Rigid Finesse, GINO LED Flex Diffuse and LUMINENT Milky product families, the contained light source is an integrated part of the containing product and its removal can only be done by causing a permanent damage to the containing product due to its tight mechanical, electrical, optical, thermal interaction and/or environmental protection with or from the containing product. Therefore, a replacement of the light source with the use of common available tools is not justified.
- Dismantling of light sources from containing products at end of life: Containing products with light sources which are scalable in length can be cut to the length of the contained light source and if applicable mechanically detached from protective and/or optical covers. Containing products shall be separated from building material and/or from other additional mounting accessories by means of a professional installer. Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

### Logistické údaje

Kód výrobku	Popis výrobku	Jednotka balení (kusy/jednotku)	Rozměry (délka x šířka x výška)	Objem	Hrubá hmotnost
4062172263719	LF3400TW-G5 -927.965-03 L1	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1213.00 g
4062172189354	LF3400TW-G5 -927.957-03 L1	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1213.00 g
4062172189330	LF3400TW-G5 -925.940-03 L1	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1213.00 g
4062172189316	LF3400TW-G5 -922.935-03 L1	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1213.00 g
4062172263696	LF1100TW-G5 -927.965-09 L2	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1765.00 g
4062172189293	LF1100TW-G5 -927.957-09 L2	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1765.00 g
4062172189279	LF1100TW-G5 -925.940-09 L2	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1765.00 g
4062172189255	LF1100TW-G5 -922.935-09 L2	Shipping carton box 8	241 mm x 195 mm x 205 mm	9.63 dm <sup>3</sup>	1765.00 g

Zmíněný produktový kód udává nejmenší jednotku množství, kterou lze objednat. Jednotka balení může obsahovat jeden nebo více samostatných produktů. Při objednávání zadávejte jednotky balení nebo násobky jednotek balení.

### možné příslušenství

## Technický list řady výrobků

Popis výrobku	název příslušenství	kód příslušenství
LF3400TW-G5 -927.965-03 L1	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF3400TW-G5 -927.965-03 L1	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF3400TW-G5 -927.965-03 L1	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF3400TW-G5 -927.965-03 L1	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF3400TW-G5 -927.965-03 L1	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF3400TW-G5 -927.965-03 L1	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF3400TW-G5 -927.965-03 L1	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF3400TW-G5 -927.965-03 L1	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF3400TW-G5 -927.965-03 L1	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF3400TW-G5 -927.965-03 L1	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF3400TW-G5 -927.965-03 L1	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF3400TW-G5 -927.957-03 L1	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF3400TW-G5 -927.957-03 L1	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF3400TW-G5 -927.957-03 L1	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF3400TW-G5 -927.957-03 L1	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF3400TW-G5 -927.957-03 L1	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF3400TW-G5 -927.957-03 L1	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF3400TW-G5 -927.957-03 L1	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF3400TW-G5 -927.957-03 L1	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF3400TW-G5 -927.957-03 L1	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF3400TW-G5 -927.957-03 L1	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF3400TW-G5 -927.957-03 L1	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF3400TW-G5 -925.940-03 L1	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF3400TW-G5 -925.940-03 L1	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676

## Technický list řady výrobků

LF3400TW-G5 -925.940-03 L1	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF3400TW-G5 -925.940-03 L1	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF3400TW-G5 -925.940-03 L1	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF3400TW-G5 -925.940-03 L1	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF3400TW-G5 -925.940-03 L1	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF3400TW-G5 -925.940-03 L1	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF3400TW-G5 -925.940-03 L1	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF3400TW-G5 -925.940-03 L1	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF3400TW-G5 -925.940-03 L1	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF3400TW-G5 -922.935-03 L1	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF3400TW-G5 -922.935-03 L1	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF3400TW-G5 -922.935-03 L1	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF3400TW-G5 -922.935-03 L1	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF3400TW-G5 -922.935-03 L1	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF3400TW-G5 -922.935-03 L1	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF3400TW-G5 -922.935-03 L1	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF3400TW-G5 -922.935-03 L1	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF3400TW-G5 -922.935-03 L1	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF3400TW-G5 -922.935-03 L1	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF3400TW-G5 -922.935-03 L1	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF1100TW-G5 -927.965-09 L2	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF1100TW-G5 -927.965-09 L2	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF1100TW-G5 -927.965-09 L2	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF1100TW-G5 -927.965-09 L2	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF1100TW-G5 -927.965-09 L2	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667



## Technický list řady výrobků

LF1100TW-G5 -927.965-09 L2	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF1100TW-G5 -927.965-09 L2	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF1100TW-G5 -927.965-09 L2	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF1100TW-G5 -927.965-09 L2	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF1100TW-G5 -927.965-09 L2	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF1100TW-G5 -927.965-09 L2	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF1100TW-G5 -927.957-09 L2	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF1100TW-G5 -927.957-09 L2	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF1100TW-G5 -927.957-09 L2	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF1100TW-G5 -927.957-09 L2	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF1100TW-G5 -927.957-09 L2	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF1100TW-G5 -927.957-09 L2	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF1100TW-G5 -927.957-09 L2	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF1100TW-G5 -927.957-09 L2	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF1100TW-G5 -927.957-09 L2	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF1100TW-G5 -927.957-09 L2	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF1100TW-G5 -927.957-09 L2	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF1100TW-G5 -925.940-09 L2	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF1100TW-G5 -925.940-09 L2	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF1100TW-G5 -925.940-09 L2	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF1100TW-G5 -925.940-09 L2	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF1100TW-G5 -925.940-09 L2	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF1100TW-G5 -925.940-09 L2	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF1100TW-G5 -925.940-09 L2	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF1100TW-G5 -925.940-09 L2	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF1100TW-G5 -925.940-09 L2	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841

## Technický list řady výrobků

LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF1100TW-G5 -925.940-09 L2	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF1100TW-G5 -925.940-09 L2	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
LF1100TW-G5 -922.935-09 L2	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
LF1100TW-G5 -922.935-09 L2	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
LF1100TW-G5 -922.935-09 L2	CONN-FLEX -3P-050 KIT 10PCS	▶ 4062172179690
LF1100TW-G5 -922.935-09 L2	CONN-FLEX -3P-200 KIT 10PCS	▶ 4062172179720
LF1100TW-G5 -922.935-09 L2	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
LF1100TW-G5 -922.935-09 L2	FX-QMW-G1 -TU26H25W10-300	▶ 4052899448773
LF1100TW-G5 -922.935-09 L2	FX-QMW-G1 -TU26H25-300	▶ 4052899448803
LF1100TW-G5 -922.935-09 L2	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
LF1100TW-G5 -922.935-09 L2	FX-QMW-G1 -TU26H25W2-300	▶ 4052899448841
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
LF1100TW-G5 -922.935-09 L2	FX -SC08-G2-CT4PJ	▶ 4052899464858
LF1100TW-G5 -922.935-09 L2	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046

### Vyloučení odpovědnosti

Změny bez předchozího upozornění vyhrazeny. Chyby a opomenutí vyhrazeny. Vždy se ujistěte, že používáte nejnovější vydání.