

Technický list výrobku

P CLAS A DIM 2100 W/827 E27

PARATHOM CLASSIC A DIM | Stmívatelné LED světelné zdroje, tvar klasické baňky



- Domestic applications General illumination Outdoor use in outdoor luminaires only (minimum IP65)

- Low energy consumption High color consistency thanks to narrow binning Easy replacement of classic lamps thanks to compact design



Technické údaje

Parametry

ZLDV_Operating frequency [AGGR]	50...60 Hz
ZLDV_Nominal current [AGGR]	110 mA
ZLDV_Claimed equiv. conventional lamp power [AGGR]	150 W


Fotometrické údaje

ZLDV_Light color (designation) [AGGR]	Warm White
ZLDV_Luminous flux [AGGR]	2452 lm

Světelně-technické údaje

ZLDV_Beam angle [AGGR]	200 °
------------------------	-------

Rozměry & váha



ZLDV_Overall length [AGGR]	143.00 mm
ZLDV_Product weight [AGGR]	210.00 g

Teploty a provozní podmínky

ZLDV_Ambient temperature range [AGGR]	-20...+40 °C
---------------------------------------	--------------

Životnost

ZLDV_Lumen maintenance at end of service life [AGGR]	0.7
--	-----

Další údaje o produktu

ZLDV_Mercury content [AGGR]	0.0 mg
ZLDV_Mercury-free [AGGR]	Yes
ZLDV_Design / version [AGGR]	Frosted
Likvidace dle směrnice o elektro-odpadu	Ano

Technický list výrobku

Doporučená náhrada EAN	4058075594241
ZLDV_Product remark [AGGR]	All technical parameters apply to the entire lamp Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value LED lamps contain several electronic components. Under unfavourable conditions these can lead to acoustic noise. In case of resonance even low noise can cause audible effect. Possible factors influencing this are the installation, the design of the lamp holder and the luminaire (acoustic resonance effect) as well as the dimmer or the transformer (harmonics or electronic resonance)
Doporučená náhrada EAN	4058075292611, 4058075462632

Certifikáty & standardy

ZLDV_Energy efficiency class [AGGR]	E
ZLDV_Energy consumption [AGGR]	21.00 kWh/1000h

Kategorizace specifická pro danou zemi

ZLDV_ILCOS [AGGR]	DRAA/F-21/827-220-240-E27-60
-------------------	------------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075462632 4058075594241
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistické údaje

Kód výrobku	Popis výrobku	Jednotka balení (kusy/jednotku)	Rozměry (délka x šířka x výška)	Objem	Hrubá hmotnost
4058075594241	P CLAS A DIM 2100 W/827 E27	Shipping carton box 10 Pieces Folding carton box	356 mm x 146 mm x 160 mm	8.32 dm ³	1161.00 g

Technický list výrobku

Zmíněný produktový kód udává nejmenší jednotku množství, kterou lze objednat. Jednotka balení může obsahovat jeden nebo více samostatných produktů. Při objednávání zadávejte jednotky balení nebo násobky jednotek balení.

Vyloučení odpovědnosti

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany