OSRAM

LEDinspect TORCH 250 ESSENTIAL



Bright LED output

250 Lumen output to illuminate the dark
effortlessly



2x AAA Batteries included
Includes the replaceable AAA batteries
required



Convenient pocket clip

Attach the torch to jeans, backpacks and
more with ease



250 Lumen adjustable torch for versatile use

The OSRAM LEDinspect™ TORCH 250 ESSENTIAL is a versatile and durable LED torch designed for both professional and everyday use. With its robust aluminium construction, this torch is built to withstand tough conditions while remaining lightweight and easy to carry.

Offering 250 lumens on High, the adjustable focus allows you to switch between a wide floodlight or a precise spotlight with a simple twist of the head. Three lighting modes – High, Low, and Flash – provide flexibility for various situations, from detailed inspections to emergency use

Designed for convenience, the built-in pocket clip keeps the torch securely within reach, while the IP44 rating ensures protection against dust and water splashes. Powered by 2x AAA batteries, it delivers up to 2 hours of runtime on High and an extended 6 hours on Low, making it an essential tool for workshops, garages, and on-the-go use.

Product family datasheet

Technical data

INSPECTION LAMP

	Product information		General Product Information			Electrical Data		
Product description	Application (Category and Product specific)		Global order reference			Nominal wattage		Nominal voltage
INSPECTION LAMP	LED inspection lights		LEDIL427ESN		2 W		3 V	
	Photometric Data		Physica		l Attributes & Dimensions			
Product description	Nominal luminous flux		Light LED	color	Product weight		Length	
INSPECTION LAMP	250 lm		White	e	38.00 g		18.5 mm	
						LED module information		& materials
Product description	Width	Height			Number of LEDs per module	Base color		
INSPECTION LAMP	18.5 mm		132.5 mm		1	Black ,	/ Orange	
	Lifetime Capabilitie Data		es	Informati	on accor	Regulatory Information ding Art. 33 of EU 907/2006 (REACh)		
Product description	Guarantee	Technology		Candidate list substance 1		CAS No. of substance 1		

Product description	Safe use instruction	Declaration no. in SCIP database
INSPECTION LAMP	The identification of the Candidate List substance is sufficient to allow safe use of the	96f1bb59-3891- 45a4-82d3- a54759789587
	article.	

Lead

7439-92-1

2 years

LED

Product family datasheet

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.