Product family datasheet

LEDriving SL W16W RED

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Red




Easy upgrade to LED technology with plug & play solutions

Replaces conventional W16W lamps



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W16W

LEDriving SL W16W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional W16W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps.These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet | LEDriving SL W16W RED © 2025, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Product information		Genera Informa	l Product ation	Electrical	Data
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference		Power input	Nominal voltage
LEDriving SL ≙ W16W	Mainly used for signal/ indicator applications	Off-road ≙ W16W	921DR	D	2 W	12 V
			Photometric Data		Physical Attributes & Dimensions	
Product description	Nominal wattage	Test voltage	Nominal flux	luminous	Luminous flux tolerance	Diameter
LEDriving SL \doteq W16W	2 W	13.5 V	80 lm		±25 %	11.0 mm
	Lifetime D		ta	Capabilities	Environmo Regulator Informatic Informatic according	y on

			406217	2160155	
Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database	
LEDriving SL \triangleq W16W	Lead	7439-92-1	The identification of the Candidate List	b659ede8-1f72- 472c-a2de-	

Lifespan

1500 hr

B3

Lifespan

4000 hr

Τс

Technology

substance is sufficient to allow safe use of the article.

LED¹⁾

Diameter

11.0 mm

1) Light-emitting diode lamp

Product description

LEDriving SL \doteq W16W

EU Regulation (EC) 1907/2006 (REACh)

Primary article identifier

4062172401630 |

985236aa808b

Product family datasheet

Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.