OSRAM

LEDriving SL WY21W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Amber



Replaces conventional WY21W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for WY21W

LEDriving SL WY21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional WY21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product information	Product information General Product Information			Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference		Power input	Nominal voltage
LEDriving SL ≜ WY21W	Mainly used for signal/ indicator	Off-road ≙ WY21W	7504DYP 1.8 Photometric Data		1.8 W 12 V	
						Physical Attributes & Dimensions
Product description	Nominal wattage	Test voltage	Nominal luminous flux		Luminous flux tolerance	Diameter
LEDriving SL ≙ WY21W	1 W	13.5 V	55 lm		±25 %	20.0 mm
	Lifetime Data		ta	Capabilities Environmental & Regulatory Information Information according Art. 33 of		y on on

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ WY21W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	19511332-b4d8- 43bf-941c- adc6aebc0355

Lifespan

1500 hr

Lifespan

4000 hr

Tc

Technology

LED 1)

Diameter

20.0 mm

Product description

EU Regulation (EC) 1907/2006 (REACh) Primary article

4062172156004 | 4062172401739

identifier

 $^{^{1)}}$ Light-emitting diode lamp

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.