

LEDsBIKE MULTI BEAM X 1000 SET




Up to 1000 Lumen

The powerful LED technology provides powerful illumination



Flashing mode for front and rear light

For enhanced visibility and longer battery life



Powerful High Beam

For clear vision on dark roads



Rear light with automatic mode and brake light function

For greater visibility in road traffic



Not available in Germany One light, endless possibilities

Take your cycling experience to the next level with up to 1000 lumens of powerful illumination combined with versatile lighting modes that adapt to every ride. The front light offers multiple modes: High (100 %), Low (50 %), Eco (25 %), Automatic, Flash and High Beam. A key feature is its high beam function, which provides long-range illumination and gives you a clear view of the road ahead. The set is complemented by an intelligent rear light with automatic mode, flashing light and integrated brake light for extra safety.

Long-lasting power, easy charging:

With a battery life of up to 18 hours for the front light and up to 17 hours for the rear light, it is ideal for long journeys or commutes. Charging is quick and easy via the included USB-C cable. The battery and charging indicators keep you informed, while the memory function recalls your last setting so you can start your next ride with your preferred mode.

Lightweight, durable and weather-resistant:

The slim, lightweight design features a robust aluminum housing and a transparent acrylic lens. The Garmin-compatible mount allows secure and stable installation and can be easily attached to handlebars of Ø 22.2 to 35 mm. Certified to IP54 protection, it resists rain, splashes and dust, keeping you visible in all weather conditions. Backed by a 2-year OSRAM guarantee¹⁾, it's the ideal choice for cyclists who value precision, safety and versatility.

Product family datasheet

Technical data

| | Product information | | General Product Information | Electrical Data |
|---------------------|---|--|-----------------------------|-----------------|
| Product description | Application (Category and Product specific) | Product legal advice 1 | Global order reference | Nominal voltage |
| LEDsBIKE MULTI BEAM | LED Bike Lights | 1) For precise conditions refer to: www.osram.com/am-guarantee . Please note: This product is not approved for use within the scope of the German road traffic act (StVZO) | LEDBL203 SET | 3.7 V |



| | Photometric Data | | | Lifetime Data | Additional product data |
|---------------------|-------------------|-----------------|-----------------------|---------------|-------------------------|
| Product description | Color temperature | Light color LED | Nominal luminous flux | Guarantee | Charging Type |
| LEDsBIKE MULTI BEAM | 6200 K | Cool white | 1000 lm | 2 years | USB-C |

| Product description | Charging time | Setting | Usage time | Type of Battery |
|---------------------|--------------------------|---|--|-----------------|
| LEDsBIKE MULTI BEAM | Front: 3 hr Rear: 2 hr | Front: High (100%), Low (50%), Eco (25%), Automatic, High Beam, FlashRear: Steady, Automatic, Flash | Front: Eco: 18 h / 9 h (LB/HB), Low: 9 h / 4 h (LB/HB), High: 4 h / 2 h (LB/HB)Rear: 33 h (Flash), 17 h (Steady) | Lithium Ion |

| | Certificates & standards | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---------------------|--------------------------|--|----------------------------------|
| Product description | Type of protection | Primary article identifier | Declaration no. in SCIP database |
| LEDsBIKE MULTI BEAM | IP54 | 4062172426060 | In work |

Product family datasheet

Download Data

| File | |
|---|--|
|  | User instruction G15143032 UI LEDsBIKE SET MULTI-BEAM X 1000 LEDBL203 SET |
|  | User instruction GPRS_Safety symbols instructions |

Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

Legal advice

1) For precise conditions refer to: www.osram.com/am-guarantee

Please note: This product is not approved for use within the scope of the German road traffic act (StVZO)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.