

ORIGINAL MINIXEN

Original spare part



The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.



Product family datasheet

Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL MINIXEN 2886X	Auxiliary lamp	2886X	6 W	12 V	6 W
ORIGINAL MINIXEN 3886X	Auxiliary lamp	3886X	6 W	12 V	6 W

Product description	Power input tolerance	Test voltage	Photometric Data	Physical Attributes & Dimensions	
			Nominal luminous flux	Lamp base	Length
ORIGINAL MINIXEN 2886X	±10 %	13.5 V	85 lm	W2.1x9.5d	26.8 mm
ORIGINAL MINIXEN 3886X	±10 %	13.5 V	80 lm	BA9s	27.4 mm

Product description	Diameter	Diameter	Lifetime Data		Capabilities
			Lifespan B3	Lifespan Tc	Technology
ORIGINAL MINIXEN 2886X	10.0 mm	10.0 mm	400 hr	1000 hr	AUX
ORIGINAL MINIXEN 3886X	9 mm	9 mm	400 hr	1000 hr	AUX

Product description	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)		
	ECE category	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL MINIXEN 2886X	-	4050300888668 4052899560604 4008321094667	No declarable substances contained	No declarable substances contained
ORIGINAL MINIXEN 3886X	-	4050300885896 4008321095787	No declarable substances contained	No declarable substances contained

Product family datasheet

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

